

```
Kind Lan Pg
 Patent No
                          Main IPC
                                      Filing Notes
               A2 E
 EP 534756
                      7 CO7C-217/48
    Designated States (Regional): AT BE CH DE DK FR GB IE IT LI LU NL PT SE
 EP 537915
               A1 E
                      8 CO7C-323/20
    Designated States (Regional): AT BE CH DE DK FR GB 1E 1T LI LU NL PT SE
 AU 9225370
                        C07C-323/20
               Α
BR 9203743
               A
                        CO7C-327/16
NO 9203710
               Α
                        C07C-323/20
FI 9204305
               Α
                        C07C-323/20
CA 2079161
               Α
                        CO7C-323/63
CA 2079162
               A
                        CO7C-217/62
                        C07C-211/03
CZ 9202908
               A3
JP 5201961
               A
                      6 CO7C-323/20
JP 5238996
                      6 CO7C-217/48
               Α
EP 534756
               A3
                        C07C-217/48
US 5281624
              Α
                      7 A61K-031/135
CN 1071416
              Α
                        C07C-323/20
ZA 9207240
                     18 CO7C-000/00
              A
                        C07C-217/48
HU 65375
               Τ
                        C07C-217/14
NZ 244460
               A
                        C07C-323/20
AU 655075
              В
                                      Previous Publ. patent AU 9225370
EP 537915
              B1 E 10 C07C-323/20
   Designated States (Regional): AT BE CH DE DK FR GB IE IT LI LU NL PT SE
TW 249225
                        C07C-323/20
              A
DE 69203424
              Ε
                        C07C-323/20
                                      Based on patent EP 537915
                        C07C-323/20
NO 178109
              В
                                      Previous Publ. patent NO 9203710
RU 2057120
              C1
                     7 C07C-319/20
CZ 281817
                        C07C-323/20
              B6
                                      Previous Publ. patent CZ 9202908
                        C07C-323/20
IL 103277
              Α
                        C07C-323/20
BR 1100384
              A3
PH 29571
              Α
                       C07C-323/20
                       C07C-323/20
HU 215519
              В
                                      Previous Publ. patent HU 65375
                       C07C-323/20
SK 280480
              B6
                                      Previous Publ. patent SK 9202908
SK 9202908
              A3
                       C07C-323/20
                       C07C-323/29
KR 221180
              B1
JP 3256291
              B2
                     6 C07C-323/20
                                      Previous Publ. patent JP 5201961
Abstract (Basic): EP 534756 A
        N-alkyl-3-phenyl -3-(2-halophenoxy) - propylamines of formula (1),
    and their salts, are new. X = C! or Br; ! Y = Me or Et.
         USE/ADVANTAGE - (I) are selective and potent inhibitors of
    norepinephrine uptake and are useful for treating disorders linked to
    decreased newotransmission of norepinephrine such as substances abuse,
    narcolepsy, depression, panic disorder, bulimia and related psychiatric
    disordres. They are also useful in treating urinary incontinence.
    Admin. is oral, rectal, transdermal, subcutaneous, intravenous,
    intramuscular or intranasal, in doses of 0.01-20 (esp. 0.1-5)
    mg/kg/day.
         In an example, a soln. of chloropropiophenone (10.8g) in MeOH (100
    ml) was coded (ice) and treated with NaNH4 (2.03g) and stirred at room
    temp. for 2 hrs.. Work up gave 3-chloro-1- phenyl-1-propanol. This cpd.
    (5.07 g), 2-chlorophenol (3.31g) and PPL3 (7.85g) were stirred in THF
    (70 ml). Diethylazodicarboxylate (4.7 ml) was added and the mixt. held
    at 25 deg. C. and stirred overnight. Work-up game
    1-(3-chloro-1-phenylpropoxy)-2-chlorobenzene. This cpd. was aminated
    using methylamine (40% in water) in EtOH at 130 deg. C for 3 hrs.
    Work-up and salification gave N-methyl-3 -phenyl-3-
    (2-chlorphenoxy) propylamine hydrochloride, m. pt. 109-111 dg. C. In
    tests on male Sprague-Dawley rats, the free base of this cpd. had an
    IC50 for norepinephrine uptake of 4.5 nM.
        Dwg. 0/0
Abstract (Equivalent): EP 537915 B
        N-alkyl-3-phenyl-3-(2-halophenoxy)-propylamines of formula (1),
    and their salts, are new. In (I), X is Cl or Br; and Y is Me or Et.
        USE/ADVANTAGE - (1) are selective and potent inhibitors of
```

norepinephrine uptake and are useful for treating disorders linked to decreased neurotranmission of norepinephrine such as substance abuse, narcolepsy, depression, panic disorder, bulimia and related psychiatric disorders. They are also useful in treating urinary incontinence. Admin. is oral, rectal, transdermal, subcutaneous, intravenous, intramuscular or intranasal, in doses of 0.001-20 (esp. 0.1-5) mg/kg/day.

(Dwg. 0/0)

EP-534756 N-alkyl-3-phenyl -3-(2-halophenoxy) - propylamines of formula (1), and their salts, are new. X = Clor Br; I Y = Me or Et.

USE/ADVANTAGE — (1) are selective and potent inhibitors of norepinephrine uptake and are useful for treating disorders linked to decreased newotransmission of norepinephrine such as substances abuse, narcolepsy, depression, panic disorder, bulimia and related psychiatric disorders. They are also useful in treating urinary incontinence. Admin. is oral, rectal, transdermal, subcutaneous, intravenous, intramuscular or intranasal, in doses of 0.01-20 (esp. 0.1-5) mg/kg/day.

In an example, a soln. of chloropropiophenone (10.8g) in MeOH (100 ml) was coded (ice) and treated with NaNH4 (2.03g) and stirred at room temp. for 2 hrs. Work up gave 3-chloro-1- phenyl-1-propanol. This cpd. (5.07 g), 2-chlorophenol (3.31g) and PPL3 (7.85g) were stirred in THF (70 ml). Diethylazodicarboxylate (4.7 ml) was added and the mixt. held at 25 deg. C, and stirred overnight. Work-up game 1-(3-chloro-1-phenylpropoxy)-2-chlorobenzene. This cpd. was aminated using methylamine (40% in water) in EtOH at 130 deg. C for 3 hrs. Work-up and salification gave N-methyl-3-phenyl-3-(2-chlorphenoxy)propylamine hydrochloride, m.pt. 109-111 dg. C. In tests on male Sprague-Dawley rats, the free base of this cpd. had an IC50 for norepinephrine uptake of 4.5 nM.

EP-537915 A compound of formula (I) wherein X is C1-C4 alkythio and Y is C1-C2 alkyl or a pharmaceutically acceptable acid addition salt thereof.

(Dwg. 0/0)

Abstract (Equivalent): US 5281624 A

N-alkyl-3-phenyl-3-(2-substd. phenoxy) propylamines of formula (1) and acid addn. salts are new.

X is 1-4C alkylthio; Y is 1-2C alkyl. Also new is inhibition of norepinephine uptake; treating depression; treating panic disorder; treating narcolepsy; treating substance addiction; treating urinary incontinence; and treating bulimia.

Specific (I) is N-methyl-3-phenyl-3-(2-1iodophenoxy) propylamines. Dwg. 0/0

Title Terms: NEW; N; ALKYL; PHENYL; PHENOXY; PROPYLAMINE; DERIVATIVE; NOREPINEPHRINE; UPTAKE; INHIBIT; TREAT; DEPRESS; PANIC; DISORDER;

NARCOLEPSY; ADDICT; URINE; INCONTINENCE

Derwent Class: B05

International Patent Class (Main): A61K-031/135; C07C-000/00; C07C-211/03; C07C-217/14; C07C-217/48; C07C-217/62; C07C-319/20; C07C-323/20;

Derwent WPI (Dialog® File 352): (c) 2003 Thomson Derwent. All rights reserved.

©1997-2003 The Dialog Corporation - Version 2.2



Dynamic Search: Equivalent Patents/Families (File 352)

Records for: HU 209753

Sort straight in the

refine search

Output 🤪

Format: Full Record

Output as: Browser

display/send

Modify Select

Records 1 c

of 1 In full Format

1. 4/19/1 DIALOG(R)File 352:Derwent WPI (c) 2003 Thomson Derwent. All rts. reserv.

XRAM Acc No: C95-061281

New nitro-phenoxy-propyl-amine derivs. prepn. for

cyto-protection and as anti-ulcerants - from aromatic amine (s) and

halogen contg. cpds.

Patent Assignee: RICHTER GEDEON VEGYESZETI GYAR (RICT )

Inventor: CSEHI A; EZER E; HAJOS G; HARSANYI K; HEGEDUS B; KALLAYNE S A;

MATUZ J; SAGHY K; SZPORNY L

Number of Countries: 001 Number of Patents: 001

Patent Family:


Patent No Kind Date Applicat No Kind Date Week HU 209753 B 19950228 HU 908250 A 19901213 199518 B

Priority Applications (No Type Date): HU 908250 A 19901213

Patent Details:

Patent No Kind Lan Pg -- Main IPC Filing Notes

HU 209753 B 12 C07D-211/70



Title Terms: NEW; NITRO; PHENOXY; PROPYL; AMINE; DERIVATIVE; PREPARATION:

CYTO; PROTECT; ANTI; AROMATIC; AMINE; HALOGEN; CONTAIN; COMPOUND

Derwent Class: B03; B05

International Patent Class (Main): CO7D-211/70

International Patent Class (Additional): A61K-031/435; A61K-031/47;

C07D-211/72; C07D-215/06

File Segment: CPI

Manual Codes (CPI/A-N): B06-D06; B07-D04C; B07-D04D; B10-A09B; B10-G02;

B14-E08

©1997-2003 The Dialog Corporation - Version 2.2